

**SCHEDULE LO**

**LIGHTING - OUTDOOR AREA  
CITY-OWNED SYSTEM**

APPLICABILITY

Applicable to outdoor area lighting service, other than street and highway lighting service, supplied from overhead lines where the Utility owns and maintains the area lighting equipment.

RATE (27)

Luminaire Charge:

Lamp Size and Type		Rate Per Lamp Per Month
7,000	Lumen Mercury Vapor	\$ 9.77
20,000	Lumen Mercury Vapor	\$18.62
5,800	Lumen High Pressure Sodium	\$ 6.68
9,500	Lumen High Pressure Sodium	\$ 7.92
22,000	Lumen High Pressure Sodium	\$12.47
30,000	Lumen High Pressure Sodium	\$14.96
Pole Charge (to be added to Luminaire Charge):		
		<u>Per Pole, Per Month</u>
For each additional new marblite standard installed		\$ 4.22

SPECIAL CONDITIONS

- A. Area lighting service will be furnished from dusk to dawn, approximately 4,140 hours per year, by utility-owned luminaires supplied from the utility's existing 120/240 volt overhead circuits and mounted on existing utility-owned wood poles as standard equipment. Where the service requested required the installation of additional new wood poles, not more than one new wood pole will be installed for each luminaire in the installation.
- B. Where the customer requests the installation of other than the standard equipment furnished by the utility and such requested equipment is acceptable to the utility, the utility will install the requested equipment provided the customer agrees to advance the estimated difference in cost installed between such equipment and standard equipment. Advances made for this purpose will not be refunded. Facilities installed in connection with such agreements become and remain the sole property of the utility.
- C. This service will be in accordance with utility's specifications as to equipment, installation, maintenance and operation.

(Continued)

**SCHEDULE LO**

**LIGHTING - OUTDOOR AREA  
CITY-OWNED SYSTEM**

SPECIAL CONDITIONS (Continued)

- D. The utility will replace lamps on a scheduled basis, and individual lamps will be replaced upon service failure, as soon as practical after notification by the customer, subject to utility's operating schedules.
- E. A written contract for a term of one year will be required by utility when service is first established under this schedule.
- F. This service will be furnished only where the installation is considered by the utility to be of a permanent and established character.
- G. Rate Stabilization Adjustment  
The rates above are subject to adjustment as provided for in Schedule RSA. The applicable billing factor set forth therein will be applied to 8 kilowatt-hours per month per 1000 lumens.